




S2000 P Saddle Span™ Quick Reference Guide




1



2





3




All Pins facing inside

Part #	DESCRIPTION	PAGE	REV
70.63.140	S2000 P Saddle Span™ Quick Reference Guide	2 of 4	6.2



4



5




Part #	DESCRIPTION	PAGE	REV
70.63.140	S2000 P Saddle Span™ Quick Reference Guide	3 of 4	6.2





Part #	DESCRIPTION	PAGE	REV
70.63.140	S2000 P Saddle Span™ Quick Reference Guide	4 of 4	6.2

Tentnology®






Safety







MAX 15 Knots !



Safety



9



FINAL INSPECTION

Instructions are to be read prior to the construction completion of the tent.

1. All bolts must be torqued tight.
2. All components must be in a tight location. Environment matters to the safe operation of the tent.
3. Check the safety of the tent structure. It should be in the safe zone of the tent structure.
4. The tent must be in a good condition and well-maintained. It should be in a good condition and well-maintained.
5. Check the safety of the tent structure. It should be in the safe zone of the tent structure.
6. The tent must be in a good condition and well-maintained. It should be in a good condition and well-maintained.
7. The tent must be in a good condition and well-maintained. It should be in a good condition and well-maintained.
8. The tent must be in a good condition and well-maintained. It should be in a good condition and well-maintained.
9. The tent must be in a good condition and well-maintained. It should be in a good condition and well-maintained.

Signature: _____
 Date: _____